

APPROVAL AND CERTIFICATION CENTER
PART 18 INSTRUMENT APPROVALS

| <u>APPROVAL NO.</u> | <u>COMPANY</u> | <u>ISSUE DATE</u> | <u>DESCRIPTION</u> |
|---------------------|-------------------------------------|-------------------|--|
| | | | RADIO REMOTE CONTROL TRANSMITTER |
| 2G-4073 | SAFETY DEVICES | 06/10/99 | MODEL SD-103 BLASTING GALVANOMETER |
| 2G-4075 RETIRED | DRAEGER SAFETY | 06/25/99 | MODEL PAC III SINGLE GAS MONITOR |
| 2G-4080 | STRUCTURED MINING SYSTEMS, INC. | 11/19/99 | MODELS TX-CMXX & TX-HXX TRANSMITTER ASSEMBLIES |
| 2G-4081 | A.T.S. ELECTRO-LUBE INTERNATIONAL | 09/01/99 | MODELS M125, J475 & B250 PERMISSIBLE LUBRICATORS |
| 2G-4082 | ENGINEERING SEISMOLOGY GROUP CANADA | 10/14/99 | HYPERION SEISMIC MONITORING |
| 2G-4084 | FORCED POTATO, INC | 10/15/99 | TYPE U-OHR REMOTE CONTROL |
| 2G-4085 | VOEST-ALPINE CONTROL SYSTEMS | 11/04/99 | TYPES U-048, U-09D, U-040, U-06K, U-06S, & U-06H RADIO REMOTE CONTROL TRANSMITTERS |
| 2G-4089 | MATRIC LIMITED | 04/14/00 | MODEL 500-669, BI-DIRECTIONAL HALL EFFECT STATION |
| 2G-4091 | PENN STATE RESEARCH PARK | 02/09/00 | MODEL 9900 SIPLE ACOUSTIC MONITOR AND THE MODEL 9901 MUFF-MOUNTED SAM |
| 2G-4096 | MATRIC LIMITED | 07/14/00 | MODEL TX3, RADIO TRANSMITTER |
| 2G-4098 | IMC TECHNICAL SERV. | 07/28/00 | MODEL 1340 REMOTE READING |

Last Updated 10/12/18



Advanced Notification

September 1, 1999

A.T.S. Electro-Lube International Inc.
Attention: Mr. Danny Sherfmeta
7388 Wilson Avenue
Delta, B.C. V4G 1H3
CANADA

Dear Mr. Sherfmeta:

This letter provides advance notification of the issuance of an intrinsic safety approval.

APPLICATION REQUEST: Part 18 Intrinsic Safety Approval

PRODUCT DESCRIPTION: Models M125, J475, and B250 Permissible Lubricators

APPL. CODE NO.: 098101

A&CC PROJECT NO.: 84314

INVESTIGATION NO.: 2G-4081-0

Approval No. 2G-4081-0 has been issued to these designs and shall be placed on the appropriate labels or plates. A formal acceptance letter with associated documentation will be forthcoming.

Contact Ken Myers at (304) 547-2024 if further information is required.

Sincerely,

Steven J. Luzik
Chief, Approval and Certification Center

- (1) OJ L 78, 26. 3. 1991, p. 38.
- (2) OJ L 194, 25. 7. 1975, p. 47.
- (3) OJ L 135, 6. 6. 1996, p. 32.

ANNEX

'ANNEX I

The following batteries and accumulators are covered by this Directive:

1. Batteries and accumulators put on the market as from 1 January 1999 containing more than 0,0005 % of mercury by weight.
2. Batteries and accumulators put on the market as from 18 September 1992 and containing:
 - more than 25 mg of mercury per cell, except alkaline manganese batteries,
 - more than 0,025 % of cadmium by weight,
 - more than 0,4 % of lead by weight.
3. Alkaline manganese batteries containing more than 0,025 % of mercury by weight placed on the market as from 18 September 1992.

End of the document

Document delivered on: 21/03/1999

**A.T.S. ELECTRO-LUBE
INTERNATIONAL INC.
MODEL M125**

PERMISSIBLE LUBRICATOR



APPROVAL NO. 2G-4081-0

**TESTED FOR INTRINSIC SAFETY
IN METHANE-AIR MIXTURES ONLY**

**WARNING: SWITCH COVER MAY BE REMOVED IN
FRESH AIR ONLY.**

**A.T.S. ELECTRO-LUBE
INTERNATIONAL INC.
MODEL B250**

PERMISSIBLE LUBRICATOR



APPROVAL NO. 2G-4081-0

**TESTED FOR INTRINSIC SAFETY
IN METHANE-AIR MIXTURES ONLY**

**WARNING: SWITCH COVER MAY BE REMOVED IN
FRESH AIR ONLY.**